

No Stock.

Work Order ID 137244

137244

Page 1

Thursday, September 24, 2015 1:44:11 PM

Item ID: D3589-13

Accept

N900040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Lug

Start Date: 9/23/15

Start Qty: 6.00

6

Cust Item ID:

Required Date: 9/23/15

Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: MCS

Date: SEP 23 2015

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

Draw Nbr

Revision Nbr

D3589

C

100

0.00

100

Waterjet

Memo

0.00

FLOW CNC Waterjet

Cut as per dwg D3589

Prog Rev: C

Dwg Rev: C

Deburr as required

(12) 09/15/17

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Memo

0.00

Quality Control

(12) 09/15/17

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS <table style="width:100%;"> <tr> <td>Skid-tube ☐</td> <td>Cross tube ☐</td> <td>Water Jet ☐</td> <td>Engineering ☐</td> </tr> <tr> <td>Machining ☐</td> <td>Small Fab ☐</td> <td>Prod. Eng. Coord. ☐</td> <td>Quality ☐</td> </tr> <tr> <td>Thermoforming ☐</td> <td>Finishing ☐</td> <td>Rec/Store/Packaging ☐</td> <td>Other ☐</td> </tr> <tr> <td>Large Fab ☐</td> <td>Composite ☐</td> <td>Supplier ☐</td> <td></td> </tr> </table>				Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐	Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐	Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐	Large Fab ☐	Composite ☐	Supplier ☐																																																											
Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐																																																																												
Machining ☐	Small Fab ☐	Prod. Eng. Coord. ☐	Quality ☐																																																																												
Thermoforming ☐	Finishing ☐	Rec/Store/Packaging ☐	Other ☐																																																																												
Large Fab ☐	Composite ☐	Supplier ☐																																																																													
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval																																																																											
Description Work Order Deviation		Disposition																																																																													
				Completed By																																																																											
				Lead hand / Supervisor Approval Verification																																																																											
				QC / QA Coordinator Approval																																																																											
<table style="width:100%;"> <tr> <td colspan="3">Root Cause</td> <td colspan="3">FAULT CATEGORY</td> </tr> <tr> <td>Environment ☐</td> <td>No Re-verification ☐</td> <td>Pressure/Forced ☐</td> <td>Temperature/Cure ☐</td> <td>Power Loss/Surge ☐</td> <td>Positioned Wrong ☐</td> </tr> <tr> <td>Design ☐</td> <td>Operator ☐</td> <td>Bending ☐</td> <td>Set-up ☐</td> <td>Folio/Program ☐</td> <td>Outside Dimensions ☐</td> </tr> <tr> <td>Doc/Data ☐</td> <td>Offset/Setup ☐</td> <td>Centre Not Concentric ☐</td> <td>BOM/Route ☐</td> <td>Grain ☐</td> <td>Over/Under tolerance ☐</td> </tr> <tr> <td>Equip/Tooling ☐</td> <td>Supplier ☐</td> <td>Cracks ☐</td> <td>Broken/Damage/Defect ☐</td> <td>Weld ☐</td> <td>Part Incorrect ☐</td> </tr> <tr> <td>Handling/Pre ☐</td> <td>Training ☐</td> <td>Crimp/Kink/Ripple/Wave ☐</td> <td>Inspection Incomplete/Unqualified ☐</td> <td>Wrong Stock Pulled ☐</td> <td>Part Lost/Missing ☐</td> </tr> <tr> <td>Material ☐</td> <td>Use for Testing ☐</td> <td>Cuffs ☐</td> <td>Contamination ☐</td> <td>Out of Sequence ☐</td> <td>Part Moved ☐</td> </tr> <tr> <td>Internal Transport ☐</td> <td>Poor Information ☐</td> <td>Crushing ☐</td> <td>Countersink ☐</td> <td>Off-set ☐</td> <td>Drawing ☐</td> </tr> <tr> <td>Tribal Knowledge ☐</td> <td>Rushing ☐</td> <td>Heat Treat ☐</td> <td>Cut Too Short ☐</td> <td>Mislabeled ☐</td> <td>Finish ☐</td> </tr> <tr> <td>LOA ☐</td> <td>Product Improvement ☐</td> <td>Wave/Twist in Tube ☐</td> <td>Instructions Incomplete/Unclear ☐</td> <td>Fit/Function ☐</td> <td>Misread ☐</td> </tr> <tr> <td>Substation ☐</td> <td>Process Improvement ☐</td> <td>Marks/Chatter ☐</td> <td>Drill Holes ☐</td> <td>Misaligned/off center ☐</td> <td>Turning Sequence ☐</td> </tr> <tr> <td>Past Expiry Date ☐</td> <td>Manufacturing Process ☐</td> <td colspan="4" rowspan="2">OTHER :</td> </tr> <tr> <td>Misidentified ☐</td> <td>Past Due ☐</td> </tr> </table>						Root Cause			FAULT CATEGORY			Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐	Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐	Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐	Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐	Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐	Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐	Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐	Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐	LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐	Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐	Past Expiry Date ☐	Manufacturing Process ☐	OTHER :				Misidentified ☐	Past Due ☐
Root Cause			FAULT CATEGORY																																																																												
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐																																																																										
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐																																																																										
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐																																																																										
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐																																																																										
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐																																																																										
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐																																																																										
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐																																																																										
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐																																																																										
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐																																																																										
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐																																																																										
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :																																																																													
Misidentified ☐	Past Due ☐																																																																														

Work Order ID 137244

Thursday, September 24, 2015 1:44:11 PM

137244

Page 2

Item ID: D3589-13

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Lug

Start Date: 9/23/15

Start Qty: 6.00

6

Cust Item ID:

Required Date: 9/23/15

Req'd Qty: 6.00

6

Customer:

Reference:

Approvals:

Process Plan: _____

Date: _____

Tooling: _____

Date: _____

Run

Start

NR1

QC: _____

Date: _____

SPC (Y/N): _____

Date: _____

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

120

QC8- Inspect parts - second check

0.00

120

QC

Memo

0.00

Quality Control

(12)

DAS
38
NOV 18 2015

140

Identify as per dwg & Stock Location: _____

0.00

140

Packaging

Memo

0.00

Packaging

LOCATION: WA002

12 MJS 15-11-18

150

QC21- Final Inspection - Work Order Release

0.00

150

QC

Memo

0.01

Quality Control

MJS

NOV 19 2015

MJS NOV 19 2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								

Picklist Print

Thursday, September 24, 2015 1:44:10 PM

Page 1

Work Order ID: 137244

137244

Parent Item: D3589-13

D3589-13

Parent Item Name: Lug

Start Date: 9/23/15

Required Date: 9/23/15

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP Rev:A 08-05-30 new issue DD verified by:ec
09-02-20 rev.b asper dwg DD verified by:EC

IPP Rev:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased		No		100	sf	228.0500	0.008	0.050526			

M304S16GA

304/316 Sheet .063

pc 15/11/18

Location

Loc Qty

Loc Code

MAT019

228.05

m131384

4.4

m132797

64

m132835

159.65

DQA: _____ Date: _____




WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					


Root Cause				FAULT CATEGORY							
Environment	☐	Design	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong	☐
Doc/Data	☐	Offset/Setup	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions	☐
Equip/Tooling	☐	Supplier	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance	☐
Handling/Pre	☐	Training	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect	☐
Material	☐	Use for Testing	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing	☐
Internal Transport	☐	Poor Information	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved	☐
Tribal Knowledge	☐	Rushing	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing	☐
LOA	☐	Product Improvement	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish	☐
Substation	☐	Process Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread	☐
Past Expiry Date	☐	Manufacturing Process	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence	☐
Misidentified	☐	Past Due	☐	OTHER :							



ITEM	QTY.	P/N	DESCRIPTION
	X	D3589-041	LATCH ASSEMBLY
1	1	D3589-043	FORWARD PLATE WELDMENT
2	1	D3589-045	AFT PLATE WELDMENT
3	1	D3589-1	ARM
4	2	D3589-3	ARM GUIDE
5	2	D3589-13	LUG
6	2	D3589-15	LINK
7	4	AN960JD4	WASHER
8	2	MS20392-1C7	PIN
9	2	MS24665-1010	COTTER PIN



DETAIL A: LINK ASSEMBLY DETAIL 08-1
SCALE 2X
2 PL



DETAIL B: WELDING AND LINK ASSEMBLY DETAIL C3-1
SCALE 2X
2 PL

D3589-041 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3589-041" AND B/N "BXXXXX" PER DART QSI 044 6.1 (FINE POINT PAINT MARKER)
- 7) WEIGHT: 0.75 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) IDENTIFIED PARTS ARE LOOSE ON D3589-1 ARM
- 10) INSTALL COTTER PIN IN ACCORDANCE WITH MS33540

RELEASED
2012-07-16

20150925 137244

C	REVISED D3589-5: 2.75 WAS 3.00 (ZN B6-4); ADDED D3589-21 (ZN B3-4); AFFECTS D3589-047 (ZN A7-3) AND D3589-049 (ZN A3-3); REVISED D3589-15: Ø 0.140 WAS Ø 0.129 (ZN B4-7); 0.800 WAS 1.150 (ZN C4-7); ADDED D3589-23 (ZN C3-4); AFFECTS D3589-043-045 (ZN D7-2 AND D2-2); REASON: PAR12-177.	MB	12.07.04
B	0.90 AND 0.83 REF WERE 1.97 AND 0.60 (ZN C6-2); 0.50 WAS 1.89 (ZN C3-2); 0.75 REF REPLACES 2.01 (ZN C2-2); 29" WAS 15" (ZN B2-2); 19.00 WAS 18.88 (ZN D4-4); REDESIGNED D3589-9 (ZN A8-6) AND D3589-11F (ZN C2-3); REASON: REDESIGN FOR PROPER FIT AND TO MATCH TESTED CONFIGURATION	MB	08.08.25
A	NEW ISSUE	MB	08.05.29
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.07.04		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO.
D3589



REV. C
SHEET 1 OF 8

TITLE
LATCH ASSEMBLY



SCALE
NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

ITEM	QTY -043	QTY -045	P/N	DESCRIPTION
	X		D3589-043	FORWARD PLATE WELDMENT
		X	D3589-045	AFT PLATE WELDMENT
1		1	D3589-7	AFT GUIDE PLATE
2	1		D3589-9	FORWARD GUIDE PLATE
3	1		D3589-11	FORWARD GUIDE PLATE
4	1	1	D3589-23	ARM GUIDE



D3589-043 FORWARD PLATE WELDMENT





D3589-045 AFT PLATE WELDMENT

RELEASED
2012-07-16

D3589-043/-045 NOTES:




- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT:
 - D3589-043 = 0.23 lbs
 - D3589-045 = 0.10 lbs
- 8) WELDING: PER DART QSI 004 USING DT9033
- 9) FORM D3589-11 TO FIT D3589-9 MATING EDGE

DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3589 TITLE LATCH ASSEMBLY DATE 12.07.04	REV. C
DRAWN			SHEET 2 OF 8
CHECKED			SCALE
MFG. APPR.			NTS
APPROVED			
DE APPR.		COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3589-047 FORWARD GUIDE

ITEM	QTY -047	QTY -049	P/N	DESCRIPTION
	X		D3589-047	FORWARD GUIDE
		X	D3589-049	AFT GUIDE
1	1		D3589-5	LATCH GUIDE
2	1		D3589-17	FORWARD GUIDE PLATE
3		1	D3589-19	AFT GUIDE PLATE
4		1	D3589-21	LATCH GUIDE



D3589-049 AFT GUIDE


D3589-047/-049 NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT:
 - D3589-047 = 0.08 lbs
 - D3589-049 = 0.05 lbs
- 8) WELDING: PER DART QSI 004


RELEASED
2012-07-16

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3589	SHEET 3 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



8 7 6 5 4 3 2 1





0.03 X 45°
CHAMFER
2 PL




D3589-1 ARM




D3589-3 ARM GUIDE




D3589-23 ARM GUIDE




0.03 X 45°
CHAMFER
2 PL



D3589-5 LATCH GUIDE



0.03 X 45°
CHAMFER
2 PL



D3589-21 LATCH GUIDE



D3589-1/-3/-5/-21/-23 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SEAMLESS ROUND TUBING
 D3589-1: 0.375 O.D. X 0.065 WALL (REF. DART SPEC M304TR0.375W.065)
 D3589-3: 0.500 O.D. X 0.058 WALL (REF. DART SPEC M304TR0.500W.058)
 D3589-5/-21: 0.500 O.D. X 0.049 WALL (REF. DART SPEC M304TR0.500W.049)
 D3589-23: AISI 304/316 STAINLESS STEEL ROUND BAR PER ASTM A276
 (REF. DART SPEC M304R)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: - D3589-1 = 0.34 lbs
 - D3589-3 = 0.01 lbs
 - D3589-5 = 0.06 lbs
 - D3589-21 = 0.03 lbs
 - D3589-23 = 0.02 lbs

RELEASE
2012-07-16

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3589	SHEET 4 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1



D3589-7 AFT GUIDE PLATE
MAKE FROM D3589-7F


D3589-7F AFT GUIDE PLATE
FLAT PATTERN

RELEASED
2012-07-16


D3589-7F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 lbs


DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3589	SHEET 5 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



D3589-9 FORWARD GUIDE PLATE



**D3589-11F FORWARD GUIDE PLATE
FLAT PATTERN**



**D3589-11 FORWARD GUIDE PLATE
(MAKE FROM D3589-11F)**


D3589-9/-11/-11F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET,
PER AMS 5513 OR AMS 5524,
OR MIL-S-6059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK),
(REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS
OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.09 LBS EACH
- 8) CONTROL SHAPE PER DT9021 TEMPLATE


DESIGN		DART AEROSPACE LTD
DRAWN		HAWKESBURY, ONTARIO, CANADA
CHECKED		DRAWING NO. D3589
MFG. APPR.		REV. C
APPROVED		SHEET 6 OF 8
DE APPR.		TITLE LATCH ASSEMBLY
DATE	12.07.04	SCALE NTS

COPYRIGHT © 2008 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.

RELEASED
2012-07-16
JND



D3589-13 LUG



D3589-15 LINK


RELEASED
2012-07-16

D3589-13/-15 NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH
16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs EACH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.			SHEET 7 OF 8
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR REPRODUCED IN ANY MANNER WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	


8 7 6 5 4 3 2 1



D3589-17 FORWARD GUIDE PLATE



D3589-19F AFT GUIDE PLATE FLAT PATTERN



D3589-19 AFT GUIDE PLATE
(MAKE FROM D3589-19F)

RELEASED
2012-07-16

D3589-17/-19/-19F NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, PER AMS 5513 OR AMS 5524, OR MIL-S-5059 (ANNEALED) 2B FINISH 16 GAUGE (0.063 THICK), (REF. DART SPEC M304S16GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs EACH

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3589	REV. C
MFG. APPR.		SHEET 8 OF 8	
APPROVED		TITLE	SCALE
DE APPR.		LATCH ASSEMBLY	NTS
DATE	12.07.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

8 7 6 5 4 3 2 1

